

«REGAL»

FOR ALL YOUR SECURITY SOLUTIONS



Hanwha
Vision

CCTV Product Guide



COMPLETE SECURITY SOLUTION AT WWW.REGALSEcurity.CO.ZA

IP CAMERAS - L-SERIES

2MP Bullet Camera IR 30m - 2.8mm Fixed Lens - IP66	2MP Bullet Camera IR 30m - 4mm Fixed Lens - IP66	2MP Bullet Camera IR 30m - 3.2-10mm VF Lens - IP66	2MP Indoor Dome Camera - IR 20m - 2.8mm Fixed Lens - Indoor	2MP Indoor Dome Camera - IR 20m - 4mm Fixed Lens - Indoor
				
CC1630 LNO-6012R	CC1630-1 LNO-6022R	CC1631 LNO-6072R	CC1600 LND-6012R	CC1600-1 LND-6022R
• L-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 2.8mm Fixed Lens • IP66	• L-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 4mm Fixed Lens • IP66	• L-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm Fixed Lens • IP66	• L-Series Bullet Camera • 2MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • Indoor use	• L-Series Bullet Camera • 2MP Resolution • 20m IR Illumination • 4mm Fixed Lens • Indoor use
2MP Indoor Dome Camera - IR 20m - 3.2-10mm VF Lens - Indoor	2MP Outdoor Dome Camera - IR 30m - 2.8mm Fixed Lens - IP66	2MP Outdoor Dome Camera - IR 30m - 4mm Fixed Lens - IP66	2MP Outdoor Dome Camera - IR 30m - 3.2-10mm Fixed Lens - IP66	
				
CC1601 LND-6072R	CC1640 LNV-6012R	CC1640-1 LNV-6022R	CC1641 LNV-6072R	
• L-Series Dome Camera • 2MP Resolution • 20m IR Illumination • 3.2-10mm Fixed Lens • Indoor use	• L-Series Dome Camera • 2MP Resolution • 30m IR Illumination • 2.8mm Fixed Lens • IP66	• L-Series Dome Camera • 2MP Resolution • 30m IR Illumination • 4mm Fixed Lens • IP66	• L-Series Dome Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm Fixed Lens • IP66	

IP CAMERAS - Q-SERIES

2MP Bullet Camera - IR 20m - 2.8mm Fixed Lens - IP66	2MP Bullet Camera - IR 30m - 3.2-10mm MVF Lens - IP66	2MP Outdoor Dome Camera - IR 20m - 2.8mm Fixed Lens - IP66	2MP Indoor Dome Camera - IR 20m - 2.8mm Fixed Lens - Indoor	2MP Outdoor Dome Camera - IR 30m - 3.2-10mm MVF Lens - IP66
				
CC1602 QNO-6012R	CC1603 QNO-6082R	CC1642 QNV-6012R	CC1632 QND-6012R	CC1643 QNV-6082R
• Q-Series Bullet Camera • 2MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • IP66	• Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm Fixed Lens • IP66	• Q-Series Dome Camera • 2MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • Outdoor Use • IP66	• Q-Series Dome Camera • 2MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • Indoor Use	• Q-Series Dome Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66
2MP Indoor Dome Camera - IR 20m - 3.2-10mm MVF Lens	4MP Bullet Camera - IR 20m - 2.8mm Fixed Lens - IP66	4MP Bullet Camera - IR 30m - 3.2-10mm MVF Lens - IP66	4MP Outdoor Dome Camera - IR 20m - 2.8mm Fixed Lens - IP66	4MP Indoor Dome Camera - IR 20m - 2.8mm Fixed Lens - Indoor
				
CC1633 QND-6082R	CC1602-1 QNO-7012R	CC1603-1 QNO-7082R	CC1642-1 QNV-7012R	CC1633-1 QND-7012R
• Q-Series Dome Camera • 2MP Resolution • 20m IR Illumination • 3.2-10mm MVF Lens • Indoor Use	• Q-Series Bullet Camera • 4MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • IP66	• Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66	• Q-Series Dome Camera • 4MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • Outdoor Use • IP66	• Q-Series Dome Camera • 4MP Resolution • 20m IR Illumination • 2.8mm Fixed Lens • Indoor Use

IP CAMERAS - Q-SERIES

4MP Outdoor Dome Camera - IR 30m - 3.2-10mm MVF Lens	4MP Indoor Dome Camera - IR 20m - 3.2-10mm MVF Lens	5MP Bullet Camera - IR 30m - 2.8mm Fixed Lens	5MP Bullet Camera - IR 30m - 3.2-10mm MVF Lens	5MP Indoor Dome - IR 20m - 2.8mm Fixed Lens
				
CC1643-1 QNV-7082R • Q-Series Dome Camera • 4MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66	CC1633-1 QND-7082R • Q-Series Dome Camera • 4MP Resolution • 20m IR Illumination • 3.2-10mm MVF Lens • Indoor Use	CC1602-2 QNO-8010R • Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 2.8mm Fixed Lens • IP66	CC1603-2 QNO-8080R • Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66	CC1632-2 QND-8010R • Q-Series Dome Camera • 2MP Resolution • 20m IR Illumination • 3.2-10mm MVF Lens • Indoor Use
5MP Indoor Dome - IR 20m - 3.2-10mm MVF Lens	5MP Outdoor Dome - IR 30m - 2.8mm Fixed Lens	5MP Outdoor Dome - IR 30m - 3.2-10mm MVF Lens	6MP Fisheye Camera - 360° FOV - 1.14mm Fixed Lens	12MP Fisheye Camera - 360° FOV - 1.08mm Fixed Lens
				
CC1632-3 QND-8080R • Q-Series Bullet Camera • 2MP Resolution • 20m IR Illumination • 3.2-10mm MVF Lens • Indoor Use	CC1642-2 QNV-8010R • Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66	CC1643-2 QNV-8080R • Q-Series Bullet Camera • 2MP Resolution • 30m IR Illumination • 3.2-10mm MVF Lens • IP66	CC1658 QNF-8010 • Q-Series Fisheye Camera • 6MP Resolution • 360° Field of View • 1.14mm Fixed Lens • Indoor Use	CC1658-1 QNF-9010 • Q-Series Fisheye Camera • 12MP Resolution • 360° Field of View • 1.08mm Fixed Lens • Indoor Use

IP CAMERAS - X-SERIES

2MP Bullet Camera - IR 50m - 2.4mm Fixed Lens	2MP Bullet Camera - IR 50m - 2.8-12mm MVF Lens	2MP Indoor Dome Camera - IR 30m - 4mm Fixed Lens	2MP Indoor Dome Camera - IR 30m - 2.8-12mm MVF Lens	2MP Outdoor Dome Camera - IR 30m - 4mm Fixed Lens
				
CC1604 XNO-6010R • X-Series Bullet Camera • 2MP Resolution • 50m IR Illumination • 2.4 Fixed Lens • IP66	CC1605 XNO-6080R • X-Series Bullet Camera • 2MP Resolution • 50m IR Illumination • 2.8-12mm MVF Lens • IP66	CC1634 XND-6020R • X-Series Dome Camera • 2MP Resolution • 50m IR Illumination • 4mm Fixed Lens • Indoor Use	CC1635 XND-6080R • X-Series Dome Camera • 2MP Resolution • 50m IR Illumination • 2.8-12mm MVF Lens • Indoor Use	CC1644 XNV-6020R • X-Series Dome Camera • 2MP Resolution • 30m IR Illumination • 4mm Fixed Lens • IP66
2MP Outdoor Dome Camera - IR 50m - 2.8-12mm MVF Lens	5MP Bullet Camera - IR 50m - 3.7mm Fixed Lens	5MP Bullet Camera - IR 50m - 3.7-9.4mm MVF Lens	5MP Indoor Dome Camera - IR 30m - 3.7mm Fixed Lens	5MP Indoor Dome Camera - IR 30m - 3.7-9.4mm MVF Lens
				
CC1645 XNV-6080R • X-Series Dome Camera • 2MP Resolution • 50m IR Illumination • 2.8-12mm MVF Lens • IP66	CC1604-1 XNO-8020R • X-Series Bullet Camera • 5MP Resolution • 50m IR Illumination • 3.7mm Fixed Lens • IP66	CC1605-1 XNO-8080R • X-Series Bullet Camera • 5MP Resolution • 50m IR Illumination • 3.7-9.4mm MVF Lens • IP66	CC1634-1 XND-8020R • X-Series Dome Camera • 5MP Resolution • 30m IR Illumination • 3.7mm Fixed Lens • Indoor Use	CC1635-1 XND-8080R • X-Series Bullet Camera • 5MP Resolution • 30m IR Illumination • 3.7-9.4mm MVF Lens • Indoor Use

IP CAMERAS - X-SERIES

5MP Indoor Vandal Dome Camera - IR 30m - 3.9-9.4mm MVF Lens	5MP Outdoor Dome Camera - IR 30m - 3.7mm Fixed Lens	5MP Outdoor Dome Camera - IR 50m - 3.9-9.4mm MVF Lens	6MP Bullet Camera - IR 50m - 2.8-8.4mm MVF Lens	6MP Indoor Vandal Dome Camera - IR 40m - 2.8-8.4mm MVF Lens
				
CC1636 XND-8080RV • X-Series Dome Camera • 5MP Resolution • 30m IR Illumination • 3.9-9.4mm MVF Lens • Indoor Use	CC1644-1 XNV-8020R • X-Series Dome Camera • 5MP Resolution • 30m IR Illumination • 3.7mm Fixed Lens • IP66	CC1645-1 XNV-8080R • X-Series Dome Camera • 5MP Resolution • 50m IR Illumination • 3.9-9.4mm MVF Lens • IP66	CC1605-2 XNO-8082R • X-Series Bullet Camera • 6MP Resolution • 50m IR Illumination • 2.8-8.4mm MVF Lens • IP66	CC1636-1 XND-8082RV • X-Series Dome Camera • 6MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • Indoor Use
6MP Indoor Vandal Flush Dome Camera - IR 40m - 2.8-8.4mm MVF Lens	6MP Outdoor Dome Camera - IR 40m - 2.8-8.4mm MVF Lens	8MP Bullet Camera - IR 50m - 2.8-8.4mm MVF Lens	8MP Indoor Vandal Dome Camera - IR 40m - 2.8-8.4mm MVF Lens	8MP Indoor Vandal Flush Dome Camera - IR 40m - 2.8-8.4mm MVF Lens
				
CC1636-2 XND-8082RF • X-Series Dome Camera • 6MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • Indoor Use	CC1645-2 XNV-8082R • X-Series Dome Camera • 6MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • IP66	CC1605-3 XNO-9082R • X-Series Bullet Camera • 8MP Resolution • 50m IR Illumination • 2.8-8.4mm MVF Lens • IP66	CC1636-3 XND-9082RV • X-Series Dome Camera • 8MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • Indoor Use	CC1636-4 XND-9082RF • X-Series Dome Camera • 8MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • Indoor Use
8MP Outdoor Dome Camera - IR 40m - 2.8-8.4mm MVF Lens	2MP Bullet Camera - IR 70m - 5.2-62.4mm MVF Lens	6MP Fisheye Camera - 360° FOV - 1.6mm Fixed Lens	12MP Fisheye Camera - 360° FOV - 1.08mm Stereographic Lens - IR 10m	Precise Object Detection & Classification with AI 
				
CC1645-3 XNV-9082R • X-Series Dome Camera • 8MP Resolution • 40m IR Illumination • 2.8-8.4mm MVF Lens • IP66	CC1620-1 XNO-6120R • X-Series Bullet Camera • 2MP Resolution • 70m IR Illumination • 5.2-62.4mm MVF Lens • IP66	CC1659 XNF-8010R • Q-Series Fisheye Camera • 6MP Resolution • 360° Field of View • 1.6mm Fixed Lens • Indoor Use	CC1659-1 XNF-9010RV • X-Series Fisheye Camera • 12MP Resolution • 360° Field of View • 10m IR Illumination • 1.6mm Fixed Lens • Indoor Use	

Buy Online!

24-hour access to 4500+ products

It's as easy as



CLICK



CART



DELIVERED



IP CAMERAS - X-SERIES (AI)

2MP Indoor AI Dome Camera - IR 40m - 2.8-12mm MVF Lens	2MP Outdoor AI Dome Camera - IR 40m - 2.8-12mm MVF Lens	4MP AI Bullet Camera - IR 40m - 2.8-10mm MVF Lens	4MP Indoor AI Dome Camera - IR 40m - 2.8-12mm MVF Lens	4MP Outdoor AI Dome Camera - IR 40m - 2.8-12mm MVF Lens
				
CC1649-1 XND-C6083RV • X-Series Dome Camera • 2MP Resolution • 40m IR Illumination • 2.8-12mm MVF Lens • Indoor Use	CC1654 XNV-C6083R • X-Series Dome Camera • 2MP Resolution • 40m IR Illumination • 2.8-12mm MVF Lens • IP66	CC1621 LNO-6072R • X-Series Bullet Camera • 4MP Resolution • 40m IR Illumination • 2.8-10mm MVF Lens • IP66	CC1650 XND-C7083RV • X-Series Dome Camera • 4MP Resolution • 40m IR Illumination • 2.8-12mm MVF Lens • Indoor Use	CC1655 XNV-C7083R • X-Series Dome Camera • 4MP Resolution • 40m IR Illumination • 2.8-12mm MVF Lens • IP66
6MP AI Bullet Camera - IR 40m - 4.4-9.3mm MVF Lens	6MP Indoor AI Dome Camera - IR 40m - 4.4-9.3mm MVF Lens	6MP Outdoor AI Dome Camera - IR 40m - 4.4-9.3mm MVF Lens	2MP AI Bullet Camera - IR 50m - 4.4-9.3mm MVF Lens	2MP Indoor Vandal AI Dome Camera - IR 50m - 4.4-9.3mm MVF Lens
				
CC1622 XNO-C8083R • X-Series Bullet Camera • 6MP Resolution • 40m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1651 XND-C8083RV • X-Series Dome Camera • 6MP Resolution • 40m IR Illumination • 4.4-9.3mm MVF Lens • Indoor Use	CC1656 XNV-C8083R • X-Series Dome Camera • 6MP Resolution • 40m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1620 XNO-6083R • X-Series Bullet Camera • 2MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1649 XND-6083RV • X-Series Dome Camera • 2MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • Indoor Use
2MP Outdoor AI Dome Camera - IR 50m - 4.4-9.3mm MVF Lens	6MP AI Bullet Camera - IR 50m - 4.4-9.3mm MVF Lens	6MP Indoor Vandal AI Dome - IR 50m - 4.4-9.3mm MVF Lens	6MP Indoor Vandal AI Dome - IR 50m - 10.9-29mm MVF Lens	6MP Outdoor AI Dome Camera - IR 50m - 4.4-9.3mm MVF Lens
				
CC1654-2 XNV-6083R • X-Series Dome Camera • 2MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1622-1 XNO-8083R • X-Series Bullet Camera • 6MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1651-1 XND-8083RV • X-Series Dome Camera • 6MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • Indoor Use	CC1651-2 XND-8093RV • X-Series Dome Camera • 6MP Resolution • 50m IR Illumination • 10.9-29mm MVF Lens • Indoor Use	CC1656-1 XNV-8083R • X-Series Dome Camera • 6MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66
8MP AI Bullet Camera - IR 50m - 4.4-9.3mm MVF Lens	8MP Indoor Vandal AI Dome Camera - IR 50m - 4.4-9.3mm MVF Lens	8MP Outdoor AI Dome Camera - IR 50m - 4.4-9.3mm MVF Lens	2MP AI Bullet Camera - IR 90m - 5.2-62.4mm MVF Lens	 WISNET P SERIES AI CAMERAS 
				
CC1623 XNO-9083R • X-Series Bullet Camera • 8MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1652 XND-9083RV • X-Series Dome Camera • 6MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • Indoor Use	CC1657 XNV-9083R • X-Series Dome Camera • 8MP Resolution • 50m IR Illumination • 4.4-9.3mm MVF Lens • IP66	CC1620-2 XNO-6123R • X-Series Bullet Camera • 2MP Resolution • 90m IR Illumination • 5.2-62.4mm MVF Lens • IP66	

IP CAMERAS - P-SERIES

8MP LPR Bullet Camera - IR 30m - 4.5-10mm MVF Lens	2MP AI Bullet Camera - IR 40m - 4.4-9.3mm MVF Lens	2MP Indoor Dome Camera - IR 30m - 4.4-9.3mm MVF Lens	2MP AI Dome Camera - IR 40m - 4.4-9.3mm MVF Lens	8MP AI Bullet Camera - IR 30m - 4.5-10mm MVF Lens
--	--	--	--	---



CC1608 PNO-A9081RLP	CC1624 PNO-A6081R	CC1637 PND-A6081RV	CC1653 PNV-A6081R	CC1624-1 PNO-A9081R
---------------------	-------------------	--------------------	-------------------	---------------------

- P-Series LPR Bullet Camera
- 8MP Resolution
- 30m IR Illumination
- 4.5-10mm MVF Lens
- LPR Functionality
- IP66

- P-Series AI Bullet Camera
- 2MP Resolution
- 40m IR Illumination
- 4.4-9.3mm MVF Lens
- IP66

- P-Series AI Indoor Dome Camera
- 2MP Resolution
- 40m IR Illumination
- 4.4-9.3mm MVF Lens
- Indoor Use

- P-Series AI Dome Camera
- 2MP Resolution
- 40m IR Illumination
- 4.4-9.3mm MVF Lens
- IP66

- P-Series AI Bullet Camera
- 8MP Resolution
- 30m IR Illumination
- 4.5-10mm MVF Lens
- IP66

8MP Indoor Dome Camera - IR 30m - 4.5-10mm MVF Lens	8MP AI Dome Camera - IR 40m - 4.5-10mm MVF Lens	8MP Multi-Directional Camera - 360° FOV- IR 30m - 3.2-10mm MVF Lens	20MP Multi-Directional Camera - 360° FOV- IR 30m - 4.1-9.4mm MVF Lens
---	---	---	---



CC1637-5 PND-A9081RF	CC1653-1 PNV-A9081R	CC1660 PNM-9084RQZ	CC1661 PNM-9085RQZ
----------------------	---------------------	--------------------	--------------------

- P-Series AI Indoor Dome Camera
- 8MP Resolution
- 40m IR Illumination
- 4.5-10mm MVF Lens
- Indoor Use

- P-Series AI Dome Camera
- 8MP Resolution
- 40m IR Illumination
- 4.5-10mm MVF Lens
- IP66

- P-Series Multi-Directional Camera
- 8MP Resolution
- 30m IR Illumination
- 3.2-10mm MVF Lens
- IP66

- P-Series Multi-Directional Camera
- 20MP Resolution
- 30m IR Illumination
- 4.1-9.4mm MVF Lens
- IP66



**P-Series
AI Camera**

IP CAMERAS - MULTI-DIRECTIONAL BRACKETS IP PINHOLE CAMERAS

Wall Mount Bracket for Multi-Directional	Hanging Mount Bracket for Multi Directional	2MP Covert Camera - Separate Lens	2MP Covert Camera 4ch Module - Separate Lens	2.4mm Covert Camera Fixed Lens Module
--	---	-----------------------------------	--	---------------------------------------



CC1669-1 SBP-300WMW	CC1669-2 SBP-317HMW	CC1670 XNB-6001	CC1671 PNM-9000QB	CC1672 SLA-T2480VA
---------------------	---------------------	-----------------	-------------------	--------------------

- Wall Mount Bracket
- Aluminium
- Used for Hanwha Multi-Directional
- CC647 and CC648

- Hanging Mount Bracket
- Aluminium
- Used for Hanwha Multi-Directional
- CC647 and CC648

- Pinhole Covert Camera
- 2MP Resolution
- Uses CC672 Lens

- Pinhole Covert Camera
- 2MP Resolution
- Support up to 4 Channels
- Uses CC672 Lens

- Fixed Lens Module
- 2.4mm Lens
- Right Angle Body Style
- Used with CC670 and CC671

IP CAMERAS - PTZ

2MP IP PTZ Camera - 25X OZ - IR 100m	2MP IP PTZ Camera - 32X OZ - IR 100m	2MP IP PTZ Camera - 25X OZ - IR 200m	6MP IP PTZ Camera - 25X OZ - IR 200m	2MP IP PTZ Camera - 55X OZ - IR 500m
--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------



CC1680-1 QNP-6250R	CC1680-2 QNP-6320R	CC1680 XNP-6250RH	CC1681 XNP-8250R	CC1680-4 XNP-6550RH/VAP
--------------------	--------------------	-------------------	------------------	-------------------------

- IP PTZ Camera
- 2MP Resolution
- 100m IR Illumination
- 25X Optical Zoom
- IP66

- IP PTZ Camera
- 2MP Resolution
- 200m IR Illumination
- 32X Optical Zoom
- IP66

- IP PTZ Camera
- 2MP Resolution
- 200m IR Illumination
- 25X Optical Zoom
- IP66

- IP PTZ Camera
- 6MP Resolution
- 200m IR Illumination
- 25X Optical Zoom
- IP66

- IP PTZ Camera
- 2MP Resolution
- 500m IR Illumination
- 55X Optical Zoom
- IP66

IP CAMERAS - PTZ

**2MP IP PTZ Camera - 40X OZ
- IR 200m**

CC1680-3 XNP-6400R

- IP PTZ Camera
- 2MP Resolution
- 200m IR Illumination
- 40X Optical Zoom
- IP66

**2MP IP PTZ Camera - 40X OZ
- IR 200m**

CC1680-5 XNP-6400RW

- IP PTZ Camera
- 2MP Resolution
- 200m IR Illumination
- 40X Optical Zoom
- IP66

**6MP IP PTZ Camera - 30X OZ
- IR 200m**

CC1681-1 XNP-8300RW

- IP PTZ Camera
- 6MP Resolution
- 200m IR Illumination
- 30X Optical Zoom
- IP66

**8MP IP PTZ Camera - 30X OZ
- IR 200m**

CC1682 XNP-9300RW

- * IP PTZ Camera
- 8MP Resolution
- 200m IR Illumination
- 30X Optical Zoom
- IP66


PTZ BRACKETS

**Wall and Pole Mount Bracket
for CC1680-5, CC1681-1 &
CC1682 - WHITE**

CC1689-1 SBP-156WMW

- Wall and Pole Mount Bracket
- Aluminum
- Used with Hanwha PTZ Cameras CC1680-5, CC1681-1 & CC1682

PTZ BRACKETS


**Corner Mount Adapter for
CC1680-5, CC1681-1 & CC1682
- WHITE**

CC1689-2 SBP-156KMW

- Corner Mount Adapter
- Aluminium
- Used with Hanwha PTZ Cameras CC1680-5, CC1681-1 & CC1682

**Wall Mount Bracket for
CC1680, CC1681 & CC1680-4
- WHITE**

CC1689-3 SBP-300WM1

- Wall Mount Bracket
- Aluminium
- Used with Hanwha PTZ Cameras CC1680, CC1681 & CC1680-4

**Corner Mount Adapter for
CC1680, CC1681 & CC1680-4
- WHITE**

CC1689-4 SBP-300KM

- Corner Mount Adapter
- Aluminium
- Used with Hanwha PTZ Cameras CC1680, CC1681 & CC1680-4

EXPLOSION PROOF CAMERAS

**Explosion Proof Camera - 2MP
Resolution - 32 X OZ - IR 30m -
120dB WDR - IP66**

CC1699-1 TNO-6322ER

- Explosion Proof Camera
- 2MP Resolution
- 32 X Optical Zoom
- 120dB WDR
- 70m IR Illumination
- IP66

**Explosion Proof Camera - 2MP
Resolution - 32 X OZ - 120dB
WDR - IP66**

CC1699-2 TNU-6322E

- Explosion Proof Camera
- 2MP Resolution
- 32 X Optical Zoom
- 120dB WDR
- IP66

IP THERMAL CAMERAS

**QVGA Thermal Bullet Camera
- 320 x 240 Resolution - 2.7mm
Fixed Lens**

CC1690 TNO-3010T

- Thermal Camera
- QVGA 320 x 240 Resolution
- 2.7mm Fixed Lens

**QVGA Thermal Bullet Camera
- 320 x 240 Resolution - 4.7mm
Fixed Lens**

CC1690-1 TNO-3020T

- Thermal Camera
- QVGA 320 x 240 Resolution
- 4.7mm Fixed Lens

**QVGA Thermal Bullet Camera
- 320 x 240 Resolution - 13.7mm
Fixed Lens**

CC1690-2 TNO-3030T

- Thermal Camera
- QVGA 320 x 240 Resolution
- 13.7mm Fixed Lens

**QVGA Thermal Bullet Camera
- 320 x 240 Resolution - 19mm
Fixed Lens**

CC1690-3 TNO-3040T

- Thermal Camera
- QVGA 320 x 240 Resolution
- 19mm Fixed Lens

**QVGA Thermal Bullet Camera
- 320 x 240 Resolution - 35mm
Fixed Lens**

CC1690-4 TNO-3050T

- Thermal Camera
- QVGA 320 x 240 Resolution
- 35mm Fixed Lens

**VGA Thermal Bullet Camera -
640 x 480 Resolution - 13mm
Fixed Lens**

CC1692 TNO-4030T

- Thermal Camera
- VGA 640 x 480 Resolution
- 13mm Fixed Lens

**VGA Thermal Bullet Camera -
640 x 480 Resolution - 19mm
Fixed Lens**

CC1692-1 TNO-4040T

- Thermal Camera
- VGA 640 x 480 Resolution
- 19mm Fixed Lens

**VGA Thermal Bullet Camera -
640 x 480 Resolution - 35mm
Fixed Lens**

CC1692-2 TNO-4050T

- Thermal Camera
- VGA 640 x 480 Resolution
- 35mm Fixed Lens

**VGA Thermal Positioning Camera
- 640 x 480 Resolution - 19mm
Fixed Lens**

CC1694 TNU-4041T

- Thermal Positioning Camera
- VGA 640 x 480 Resolution
- 19mm Fixed Lens

**VGA Thermal Positioning Camera
- 640 x 480 Resolution - 35mm
Fixed Lens**

CC1694-1 TNU-4051T

- Thermal Positioning Camera
- VGA 640 x 480 Resolution
- 35mm Fixed Lens

NVRS Q-SERIES

Q-Series 8Ch NVR
80Mbps with PoE
- 1 SATA Bays



Q-Series 16Ch NVR
128Mbps with PoE
- 2 SATA Bays



CD610 QRN-830S

- 8 Channel Video Inputs
- Incoming Bandwidth 80Mbps
- PoE Ports
- HDMI & VGA Monitor Outputs
- 1 SATA Bays
- No HDD Included

CD620 QRN-1630S

- Q16 Channel Video Inputs
- Incoming Bandwidth 128Mbps
- PoE Ports
- HDMI & VGA Monitor Outputs
- 2 SATA Bays
- No HDD Included

VIDEO SURVEILLANCE SOLUTION



VALUE ADDED SERVICES



PRODUCT TRAINING



PRODUCT REPAIRS



TECHNICAL SUPPORT

«REGAL»

NVRS X-SERIES (AI CAMERA SUPPORT)

X-Series 16Ch AI NVR
140Mbps with No PoE
- 8 SATA Bays



X-Series 16Ch AI NVR
140Mbps with PoE
- 4 SATA Bays



X-Series 32Ch AI NVR
400Mbps with No PoE
- 8 SATA Bays



X-Series 32Ch AI NVR
400Mbps with No PoE
- 8 SATA Bays



CD624 XRN-1620B2

- 16 Channel Video Inputs
- Incoming Bandwidth 140Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- 8 SATA Bays
- ARB & failover (N+1)
- No HDD Included

CD625 XRN-1620SB1

- 16 Channel Video Inputs
- Incoming Bandwidth 140Mbps
- 16 PoE Ports
- HDMI & VGA Monitor Outputs
- 4 SATA Bays
- ARB & failover (N+1)
- No HDD Included

CD644 XRN-3210B2

- Channel Video Inputs
- Incoming Bandwidth 400Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- 8 SATA Bays
- ARB & failover (N+1)
- No HDD Included

CD640 XRN-3210RB2

- 32 Channel Video Inputs
- Incoming Bandwidth 140Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- 8 SATA Bays
- ARB & failover (N+1)
- No HDD Included

NVRS P-SERIES (AI NVR)

P-Series 16Ch AI NVR
400Mbps with No PoE
- 8 SATA Bays



P-Series 64Ch AI NVR
400Mbps with No PoE
- 16 SATA Bays



P-Series 32Ch AI NVR
400Mbps with No PoE
- 8 SATA Bays



P-Series 32Ch AI NVR
400Mbps with No PoE
- 16 SATA Bays



CD630 PRN-1600B2

- 16 Channel Video Inputs
- Incoming Bandwidth 250Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- AI Search with BestShot
- 8 SATA Bays
- No HDD Included

CD670 PRN-6400B4

- 64 Channel Video Inputs
- Incoming Bandwidth 400Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- AI Search with BestShot
- 16 SATA Bays
- No HDD Included

CD650 PRN-3200B2

- 32 Channel Video Inputs
- Incoming Bandwidth 400Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- AI Search with BestShot
- 8 SATA Bays
- No HDD Included

CD654 PRN-3200B4

- 32 Channel Video Inputs
- Incoming Bandwidth 400Mbps
- No PoE Ports
- HDMI & VGA Monitor Outputs
- AI Search with BestShot
- 16 SATA Bays
- No HDD Included

CONTACT US

BRANCHES

Gauteng

Alberton: 087 537 4166
Balfour Park: 011 640 2288
Boksburg: 011 918 8505
Centurion: 012 653 0653
Edenvale: 011 453 0229
Fourways: 011 467 8817
Krugersdorp: 087 092 8100
Linden: 011 888 5666
Longmeadow: 011 454 8009
Lynnwood: 012 460 4550
Midrand: 011 312 7576
Montana: 087 802 3939
Roodepoort: 011 760 1149
Strijdom Park: 011 791 4770
Vanderbijlpark: 016 931 0116
Xavier (JHB South): 011 433 8943

Eastern Cape

East London: 043 735 4537
Gqeberha (PE): 041 364 3885

Free State

Bloemfontein: 051 447 6969

KwaZulu Natal

Durban: 031 263 0901
Pietermaritzburg: 087 803 4544
Pinetown: 031 701 3222

Mpumalanga

Emalaheni (Witbank): 013 656 4140
Mbombela (Nelspruit): 013 753 2831

Limpopo

Polokwane: 015 296 0531

Western Cape

Bellville: 021 949 6330
George: 087 537 4155
Northgate: 021 510 1411
Sybrand Park: 021 697 4777

CUSTOMER SUPPORT

Accounts

Email: accounts@regalsecurity.co.za

Sales

Email: sales@regalsecurity.co.za

National Support Centre

Tel: 087 802 3920
Email: nsc.support@regalsecurity.co.za

Need Technical Support?

Call ANY Regal branch and dial 2

SCAN TO VIEW ALL
REGAL E-BROCHURES

